


| | REVISIONS . | | | | | | | | |
|-----|-------------|---|-----------|---------|----------|--|--|--|--|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED | | | | |
| 1 | 15-0009 | -3 CH'D MATERIAL WAS 1018 IS A36 P&O5 CH'D MATERIAL WAS 4140 IS 4140/41427 CH'D MATERIAL WAS 4140 IS 4140/4142. | 1/12/2015 | RJC | JAG | | | | |









NOTE: REF. EUROCOPTER T/N: 332A93-3215-00.


TITLE TO THE CONTROL OF A CREAT PARTY OF

| ASSY | ASSY QTY | B/O | Part # | UNIT | Description | Material | B/O INFORMATION OR SPECIFICATIONS | PG. | MGB, I/R O | UIPU | I SEAL I | EXTRACTOR |
|------|-------------|------|--------|------|--------------------|------------|---|-----|--|------------|-------------------------|--------------|
| QTY | QIY | 2,0 | | QTY | 2 00011,511011 | 7710101101 | 5,0 1110 1110 110 110 110 110 110 110 110 | | DWG NO. RBF. | 332A9 | 93-3215 | -00 REV |
| | Х | | -1 | 1 | BASE WELDMENT | | | 2 | MAT'L | | | |
| | 1 | | -3 | | BASE | A36 P&O | | 3 | | | DRAWN BY: | MARPET |
| - | | | Ų | | | | | Ů | UNLESS OTHERWISE S | | APPROVED | D Weil |
| | 3 | | -5 | | POST | 4140/4142 | | 4 | DIMENSIONS ARE IN .XXX ± .005 FRACTIO | NS + 1/8 | HEAT TREAT FINISH | |
| | | | -7 | 1 | DISK | 4140/4142 | | 5 | XX ‡ .01 ANGL | LO 1.0 | | |
| | | | -9 | 1 | HEX HEAD CAP SCREW | STEEL | M14 X 1.5 X 55mm (MCMASTER-CARR # 91180A787) MODIFIED | 6 | 1. BREAK ALL SHARP EDGES | .015 x 45° | SPEC | |
| | 2 | B/O | 11 | | DOWEL PIN | STEEL | Ø1/8 X 5/16 (MCMASTER-CARR #98381A216) | 2 | OR .015R 2. DIMENSIONAL LIMITS APPI | VACTED | us | ED ON MODEL |
| | ٥ | B/ C | -11 | | DOWEL FIN | SIECE | 21/0 x 3/16 [MCMA31ER-CARR #70301A210] | | PLATING | LIAFIER | | AS332 |
| | ASSY -1 | | | | | | | | SCALE 1:4 | ATE 6/ | 6/2013 | SHEET 1 OF 6 |

| | | REVISIONS | | | |
|-----|-----|-------------|------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |










6/6/2013


1:4


SHEET 2 OF 6


BASE WELDMENT





| | | revisions | | | |
|-----|---------|---|-----------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | 15-0009 | -5 CH'D MATERIAL WAS 4140 IS 4140/4142. | 1/12/2015 | RJC | JAG |











POST

MGB, T/R OUTPUT SEAL EXTRACTOR

DWG NO.

RBE332A93-3215-00-5

MAT'L 4140/4142 DRAWN BY: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES APPROVED SXX ± .005 FRACTIONS ± 1/8 FINISH XX ± .01 ANGLES ± .5° FINISH SPEC

SEE -1 WELDMENT

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING


USED ON MODEL AS332


SCALE 1:2 6/6/2013


SHEET 4 OF 6

MARPET

| | | REVISIONS | | | |
|-----|---------|---|------------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | 15-0009 | -7 CH'D MATERIAL WAS 4140 IS 4140/4142. | 1/12/20105 | RJC | JAG |







DISK



MGB, T/R OUTPUT EXTRACTOR SEAL

DWG NO.

RBE332A93-3215-00-7

MAT'L 4140/4142 DRAWN BY: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/8
.XX ± .01 ANGLES ± .5°
.X ± .1

CAD PLATE YELLOW

1. BREAK ALL SHARP EDGES .015 x 45*

OR .015R

2. DIMENSIONAL LIMITS APPLY AFTER PLATING


USED ON MODEL


AS:332 SCALE 1:1


6/6/2013 SHEET 5 OF 6

MARPET

| | | REVISIONS | | | |
|-----|-----|-------------|------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |









MGB, T/R OUTPUT SEAL EXTRACTOR

DWG NO.

RBE332A93-3215-00-9

MAT'L STEEL DRAWN BY:

USED ON MODEL

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING SCALE

A\$332

6/6/2013 SHEET 6 OF 6

MARPET



HEX HEAD CAP SCREW